



hell fire


BIG-KING INTERNATIONAL

– INDUSTRIAL LIGHTING SOLUTIONS –

hell fire


BIG-KING INTERNATIONAL

VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
2800RC5500	B11-020	1350	20	10 ~ 30 VDC	\$82.80




hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
3610RC8010	B11-040	2700	40	10 ~ 30 VDC	\$163.35




hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
7220RC1510	B11-060	4050	60	10 ~ 30 VDC	\$227.25



hell fire
BIG-KING INTERNATIONAL


VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
1430RC7220	B11-100	6750	100	10 ~ 30 VDC	\$341.10



hell fire
BIG-KING INTERNATIONAL


VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 7040RC1720 B11-120 8100 120 10 ~ 30 VDC

RETAIL(CAD) \$407.25




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 6950RC7930 B11-180 12150 180 10 ~ 30 VDC

RETAIL(CAD) \$596.25




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 5210RC3800 B12-030 2700 30 10 ~ 30 VDC

RETAIL(CAD) \$125.10




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 0020RC3310 B12-060 5400 60 10 ~ 30 VDC

RETAIL(CAD) \$200.70




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 0130RC6020 B12-090 8100 90 10 ~ 30 VDC

RETAIL(CAD) \$310.05




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 0140RC3720 B12-120 10800 120 10 ~ 30 VDC

RETAIL(CAD) \$410.85




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 3110RC5700 B13-018 1350 18 10 ~ 30 VDC

RETAIL(CAD) \$113.40




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 8120RC5410 B13-036 2700 36 10 ~ 30 VDC

RETAIL(CAD) \$218.25




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 9920RC9910 B13-054 4050 54 10 ~ 30 VDC

RETAIL(CAD) \$299.25




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 3800RC5500 B17-030 2700 30 10 ~ 30 VDC

RETAIL(CAD) \$83.25




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$150.75
 0510RC0010 B17-060 5400 60 10 ~ 30 VDC

WIDTH(INCHES) 13.2 WIDTH 335 mm DEPTH 75 mm




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$287.10
 7820RC1910 B17-120 10800 120 10 ~ 30 VDC

WIDTH(INCHES) 25 WIDTH 635 mm DEPTH 75 mm




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$402.75
 2040RC8620 B17-180 12150 180 10 ~ 30 VDC

WIDTH(INCHES) 36.8 WIDTH 935 mm DEPTH 75 mm




VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$519.75
 9150RC6430 B17-240 16800 240 10 ~ 30 VDC

WIDTH(INCHES) 48.8 WIDTH 1240 mm DEPTH 75 mm



VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$92.25
 2900RC1600 B18-020 1400 20 10 ~ 30 VDC

WIDTH(INCHES) 5.7 WIDTH 144 mm DEPTH 90 mm





VALIDATION CONTROL # 4410RC6900 **MODEL** B18-040 **LUMENS** 2800 **WATTAGE** 40 **VOLTAGE RANGE** 10 ~ 30 **VDC**

RETAIL(CAD) \$144.00

WIDTH(INCHES) 9.2 **WIDTH** 233 mm **DEPTH** 90 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
75 mm




VALIDATION CONTROL # 3820RC9810 **MODEL** B18-080 **LUMENS** 5600 **WATTAGE** 80 **VOLTAGE RANGE** 10 ~ 30 **VDC**

RETAIL(CAD) \$283.50

WIDTH(INCHES) 16.3 **WIDTH** 415 mm **DEPTH** 90 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
75 mm





VALIDATION CONTROL # 0040RC7620 **MODEL** B18-120 **LUMENS** 8400 **WATTAGE** 120 **VOLTAGE RANGE** 10 ~ 30 **VDC**

RETAIL(CAD) \$400.50

WIDTH(INCHES) 23.4 **WIDTH** 595 mm **DEPTH** 90 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
75 mm





VALIDATION CONTROL # 9060RC6040 **MODEL** B18-200 **LUMENS** 14000 **WATTAGE** 200 **VOLTAGE RANGE** 10 ~ 30 **VDC**

RETAIL(CAD) \$609.75

WIDTH(INCHES) 37.6 **WIDTH** 955 mm **DEPTH** 90 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
75 mm





VALIDATION CONTROL # 6270RC4840 **MODEL** B18-240 **LUMENS** 16800 **WATTAGE** 240 **VOLTAGE RANGE** 10 ~ 30 **VDC**

RETAIL(CAD) \$726.75

WIDTH(INCHES) 44.9 **WIDTH** 1140 mm **DEPTH** 90 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
75 mm



VALIDATION CONTROL # 8970RC2350 MODEL B18-260 LUMENS 18200 WATTAGE 260 VOLTAGE RANGE 10 ~ 30 VDC



RETAIL(CAD) \$798.75

WIDTH(INCHES) 48

WIDTH 1220 mm

DEPTH 90 mm

HEIGHT WITH BRACKET 115 mm



HEIGHT WITHOUT BRACKET 75 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 9900RC6600 MODEL B21-036 LUMENS 2500 WATTAGE 36 VOLTAGE RANGE 10 ~ 30 VDC



RETAIL(CAD) \$99.45

WIDTH(INCHES) 3.7

WIDTH 95 mm

DEPTH 87 mm

HEIGHT WITH BRACKET 125 mm



HEIGHT WITHOUT BRACKET 80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 7310RC1900 MODEL B21-072 LUMENS 4500 WATTAGE 72 VOLTAGE RANGE 10 ~ 30 VDC



RETAIL(CAD) \$137.25

WIDTH(INCHES) 13.6

WIDTH 345 mm

DEPTH 87 mm

HEIGHT WITH BRACKET 125 mm



HEIGHT WITHOUT BRACKET 80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 4520RC9610 MODEL B21-120 LUMENS 7500 WATTAGE 120 VOLTAGE RANGE 10 ~ 30 VDC



RETAIL(CAD) \$254.25

WIDTH(INCHES) 22

WIDTH 560 mm

DEPTH 87 mm

HEIGHT WITH BRACKET 125 mm



HEIGHT WITHOUT BRACKET 80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 8530RC8320 MODEL B21-180 LUMENS 11250 WATTAGE 180 VOLTAGE RANGE 10 ~ 30 VDC


RETAIL(CAD) \$358.20

WIDTH(INCHES) 32.5

WIDTH 825 mm

DEPTH 87 mm

HEIGHT WITH BRACKET 125 mm




HEIGHT WITHOUT BRACKET 80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 2740RC5130 B21-240 15000 240 10 ~ 30 VDC


RETAIL(CAD) \$472.50



hell fire
 BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 0600RC0400 B22-018 1260 18 10 ~ 30 VDC


RETAIL(CAD) \$60.75



hell fire
 BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 6900RC4600 B22-036 2520 36 10 ~ 30 VDC


RETAIL(CAD) \$96.75



hell fire
 BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 2310RC8800 B22-054 3780 54 10 ~ 30 VDC


RETAIL(CAD) \$132.75



hell fire
 BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 8610RC2110 B22-072 5040 72 10 ~ 30 VDC


RETAIL(CAD) \$168.75



hell fire
 BIG-KING INTERNATIONAL


VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
5120RC3410	B22-090	7200	90	10 ~ 30 VDC	\$215.55

RETAIL(CAD) \$215.55




VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
2520RC8610	B22-108	7560	108	10 ~ 30 VDC	\$252.00

RETAIL(CAD) \$252.00




VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
1820RC7810	B22-126	8820	126	10 ~ 30 VDC	\$281.25

RETAIL(CAD) \$281.25




VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
0940RC7230	B22-234	18500	234	10 ~ 30 VDC	\$490.50

RETAIL(CAD) \$490.50




VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
2110RC5700	B23-016	1250	16	10 ~ 30 VDC	\$112.50

RETAIL(CAD) \$112.50



VALIDATION CONTROL # 8610RC2110 **MODEL** B23-024 **LUMENS** 1900 **WATTAGE** 24 **VOLTAGE RANGE** 10 ~ 30 **VDC**


RETAIL(CAD) \$168.75



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 7020RC8310 **MODEL** B23-040 **LUMENS** 3200 **WATTAGE** 40 **VOLTAGE RANGE** 10 ~ 30 **VDC**


RETAIL(CAD) \$207.00



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 9040RC3720 **MODEL** B23-080 **LUMENS** 6400 **WATTAGE** 80 **VOLTAGE RANGE** 10 ~ 30 **VDC**


RETAIL(CAD) \$409.50



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 6160RC1140 **MODEL** B23-160 **LUMENS** 9600 **WATTAGE** 160 **VOLTAGE RANGE** 10 ~ 30 **VDC**


RETAIL(CAD) \$616.50



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 6480RC4650 **MODEL** B23-200 **LUMENS** 12800 **WATTAGE** 200 **VOLTAGE RANGE** 10 ~ 30 **VDC**


RETAIL(CAD) \$846.00



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # **MODEL** **LUMENS** **WATTAGE** **VOLTAGE RANGE**
 1610RC7010 B25-040 3000 40 10 ~ 30 VDC


RETAIL(CAD) \$161.55



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # **MODEL** **LUMENS** **WATTAGE** **VOLTAGE RANGE**
 6720RC4810 B25-080 5200 80 10 ~ 30 VDC


RETAIL(CAD) \$276.75



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # **MODEL** **LUMENS** **WATTAGE** **VOLTAGE RANGE**
 4140RC6720 B25-120 8100 120 10 ~ 30 VDC


RETAIL(CAD) \$414.00



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # **MODEL** **LUMENS** **WATTAGE** **VOLTAGE RANGE**
 7960RC5640 B25-200 13500 200 10 ~ 30 VDC


RETAIL(CAD) \$697.50



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # **MODEL** **LUMENS** **WATTAGE** **VOLTAGE RANGE**
 0580RC7650 B25-240 16000 240 10 ~ 30 VDC

RETAIL(CAD) \$850.50





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$119.25
 9110RC9700 B27-036 2880 36 10 ~ 30 VDC

WIDTH(INCHES) 8.1 WIDTH 207 mm DEPTH 87 mm

HEIGHT WITH BRACKET
111 mm





HEIGHT WITHOUT BRACKET
76 mm



VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$200.25
 0020RC3310 B27-072 5760 72 10 ~ 30 VDC

WIDTH(INCHES) 14.2 WIDTH 360 mm DEPTH 87 mm

HEIGHT WITH BRACKET
111 mm





HEIGHT WITHOUT BRACKET
76 mm



VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$360.00
 0630RC0420 B27-120 9600 120 10 ~ 30 VDC

WIDTH(INCHES) 22.2 WIDTH 565 mm DEPTH 87 mm

HEIGHT WITH BRACKET
111 mm





HEIGHT WITHOUT BRACKET
76 mm



VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$517.50
 7150RC5430 B27-180 14400 180 10 ~ 30 VDC

WIDTH(INCHES) 32.5 WIDTH 825 mm DEPTH 87 mm

HEIGHT WITH BRACKET
111 mm





HEIGHT WITHOUT BRACKET
76 mm



VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE RETAIL(CAD) \$585.00
 5850RC0930 B27-240 19200 240 10 ~ 30 VDC

WIDTH(INCHES) 41.5 WIDTH 1055 mm DEPTH 87 mm

HEIGHT WITH BRACKET
111 mm



HEIGHT WITHOUT BRACKET
76 mm



VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 9470RC9940 B27-288 23040 280 10 ~ 30 VDC



RETAIL(CAD) \$749.25

WIDTH(INCHES) 49.8

WIDTH 1265 mm

DEPTH 87 mm

HEIGHT WITH BRACKET
111 mm



HEIGHT WITHOUT BRACKET
76 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 2600RC1400 B28-018 1150 18 10 ~ 30 VDC



RETAIL(CAD) \$62.10

WIDTH(INCHES) 4.3

WIDTH 110 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 4900RC3600 B28-036 2880 36 10 ~ 30 VDC



RETAIL(CAD) \$94.50

WIDTH(INCHES) 7.5

WIDTH 190 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 1410RC4900 B28-054 4050 54 10 ~ 30 VDC



RETAIL(CAD) \$141.75

WIDTH(INCHES) 10.4

WIDTH 265 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # MODEL LUMENS WATTAGE VOLTAGE RANGE
 6810RC4210 B28-072 5760 72 10 ~ 30 VDC



RETAIL(CAD) \$186.75

WIDTH(INCHES) 13.6

WIDTH 345 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



HEIGHT WITHOUT BRACKET
80 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 3620RC5710 **MODEL** B28-108 **LUMENS** 8800 **WATTAGE** 108 **VOLTAGE RANGE** 10 ~ 30 **VDC**



RETAIL(CAD) \$263.25

WIDTH(INCHES) 19.7

WIDTH 500 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



VALIDATION CONTROL # 8030RC5020 **MODEL** B28-126 **LUMENS** 9650 **WATTAGE** 126 **VOLTAGE RANGE** 10 ~ 30 **VDC**



RETAIL(CAD) \$308.25

WIDTH(INCHES) 22.2

WIDTH 565 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



VALIDATION CONTROL # 8340RC2920 **MODEL** B28-180 **LUMENS** 14400 **WATTAGE** 180 **VOLTAGE RANGE** 10 ~ 30 **VDC**



RETAIL(CAD) \$438.75

WIDTH(INCHES) 31.9

WIDTH 810 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



VALIDATION CONTROL # 2450RC1630 **MODEL** B28-234 **LUMENS** 19100 **WATTAGE** 234 **VOLTAGE RANGE** 10 ~ 30 **VDC**



RETAIL(CAD) \$542.25

WIDTH(INCHES) 41.1

WIDTH 1044 mm

DEPTH 80 mm

HEIGHT WITH BRACKET
115 mm



VALIDATION CONTROL # 0540RC0030 **MODEL** B29-120 **LUMENS** 9600 **WATTAGE** 120 **VOLTAGE RANGE** 10 ~ 30 **VDC**

RETAIL(CAD) \$450.00


WIDTH(INCHES) 22.4

WIDTH 570 mm

DEPTH 99 mm

HEIGHT WITH BRACKET
125 mm

BEND RADIUS=3000 MM



VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)	\$585.00
5850RC0930	B29-180	14400	180	10 ~ 30 VDC		


WIDTH(INCHES) 32.7

WIDTH 830 mm

DEPTH 99 mm

HEIGHT WITH BRACKET
125 mm

BEND RADIUS=3000 MM



HEIGHT WITHOUT BRACKET
86 mm



VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)	\$670.50
0760RC7440	B29-240	19200	240	10 ~ 30 VDC		


WIDTH(INCHES) 41.3

WIDTH 1050 mm

DEPTH 99 mm

HEIGHT WITH BRACKET
125 mm

BEND RADIUS=3000 MM



HEIGHT WITHOUT BRACKET
86 mm



VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)	\$720.00
0270RC0840	B29-288	23040	288	10 ~ 30 VDC		



WIDTH(INCHES) 53.1

WIDTH 1350 mm

DEPTH 99 mm

HEIGHT WITH BRACKET
125 mm

BEND RADIUS=3000 MM



HEIGHT WITHOUT BRACKET
86 mm



VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)	\$975.00
5790RC7650	B29-312	24900	312	9 ~ 30 VDC		


WIDTH(INCHES) 56.5

WIDTH 1435 mm

DEPTH 99 mm

HEIGHT WITH BRACKET
125 mm

BEND RADIUS=3000 MM



HEIGHT WITHOUT BRACKET
86 mm




VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)	\$108.00
8010RC2700	B41-036	2880	36	10 ~ 30 VDC		

WIDTH(INCHES) 3.9

WIDTH 100 mm

DEPTH 100 mm

HEIGHT WITH BRACKET
168 mm





HEIGHT WITHOUT BRACKET
150 mm





VALIDATION CONTROL # 9810RC6210
MODEL B41-072
LUMENS 5040
WATTAGE 72
VOLTAGE RANGE 10 ~ 30 **VDC**

RETAIL(CAD) \$189.00





VALIDATION CONTROL # 9720RC6810
MODEL B41-108
LUMENS 6150
WATTAGE 108
VOLTAGE RANGE 10 ~ 30 **VDC**

RETAIL(CAD) \$279.00





VALIDATION CONTROL # 3730RC9420
MODEL B41-144
LUMENS 10080
WATTAGE 144
VOLTAGE RANGE 10 ~ 30 **VDC**

RETAIL(CAD) \$373.50





VALIDATION CONTROL # 3550RC9630
MODEL B41-216
LUMENS 18000
WATTAGE 216
VOLTAGE RANGE 10 ~ 30 **VDC**

RETAIL(CAD) \$553.50



VALIDATION CONTROL # 2900RC1600
MODEL D01-015
LUMENS 1080
WATTAGE 15
VOLTAGE RANGE 10 ~ 30 **VDC**



RETAIL(CAD) \$92.25



VALIDATION CONTROL # 4110RC6700 MODEL D02-020 LUMENS 1440 WATTAGE 20 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$114.75

WIDTH(INCHES) 4.2



HEIGHT WITH BRACKET 122 mm



HEIGHT WITHOUT BRACKET 106 mm



VALIDATION CONTROL # 4410RC6900 MODEL D03-025 LUMENS 1800 WATTAGE 25 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$144.00

WIDTH(INCHES) 4.2



HEIGHT WITH BRACKET 122 mm



HEIGHT WITHOUT BRACKET 106 mm



VALIDATION CONTROL # 2900RC1600 MODEL D04-045 LUMENS 2300 WATTAGE 45 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$92.25

WIDTH(INCHES) 6.6



HEIGHT WITH BRACKET 109 mm



HEIGHT WITHOUT BRACKET 109 mm



VALIDATION CONTROL # 7870RC5250 MODEL D05-096 LUMENS 8160 WATTAGE 96 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$787.50

WIDTH(INCHES) 8.7



HEIGHT WITH BRACKET 255 mm



HEIGHT WITHOUT BRACKET 222 mm



VALIDATION CONTROL # 0700RC0500 MODEL D06-012 LUMENS 950 WATTAGE 12 VOLTAGE RANGE 9 ~ 30 VDC

RETAIL(CAD) \$70.00

WIDTH(INCHES) 3.1



HEIGHT WITH BRACKET 90 mm



HEIGHT WITHOUT BRACKET 75 mm



VALIDATION CONTROL # 5800RC5500 MODEL D07-018 LUMENS 1250 WATTAGE 18 VOLTAGE RANGE 9 ~ 30 VDC

RETAIL(CAD) \$85.00

WIDTH(INCHES) 3.2



HEIGHT WITH BRACKET 90 mm

HEIGHT WITHOUT BRACKET 80 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 5750RC7140 MODEL D08-185 LUMENS 15000 WATTAGE 185 VOLTAGE RANGE 6 ~ 30 VDC

RETAIL(CAD) \$575.00

WIDTH(INCHES) 9



HEIGHT WITH BRACKET 254 mm

HEIGHT WITHOUT BRACKET 229 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 9240RC0330 MODEL D09-111 LUMENS 12000 WATTAGE 111 VOLTAGE RANGE 6 ~ 30 VDC

RETAIL(CAD) \$429.00

WIDTH(INCHES) 9



HEIGHT WITH BRACKET 254 mm

HEIGHT WITHOUT BRACKET 229 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 5130RC0120 MODEL S01-035 LUMENS 3200 WATTAGE 35 VOLTAGE RANGE 12 ~ 14 VDC

RETAIL(CAD) \$315.00

WIDTH(INCHES) 8.5



HEIGHT WITH BRACKET 170 mm

HEIGHT WITHOUT BRACKET 170 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 7330RC5220 MODEL S02-055 LUMENS 4300 WATTAGE 55 VOLTAGE RANGE 9 ~ 32 VDC

RETAIL(CAD) \$337.50

WIDTH(INCHES) 8.5



HEIGHT WITH BRACKET 170 mm

HEIGHT WITHOUT BRACKET 170 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 7130RC1120 MODEL S03-050 LUMENS 4200 WATTAGE 50 VOLTAGE RANGE 10 ~ 30 VDC



RETAIL(CAD) \$317.25



WIDTH(INCHES) 8.3

WIDTH 210 mm DEPTH 150 mm

HEIGHT WITH BRACKET 235 mm



HEIGHT WITHOUT BRACKET 235 mm

VALIDATION CONTROL # 5730RC0520 MODEL S04-030 LUMENS 3000 WATTAGE 30 VOLTAGE RANGE 12 ~ 24 VDC



RETAIL(CAD) \$375.75



WIDTH(INCHES) 8.3

WIDTH 210 mm DEPTH 235 mm

HEIGHT WITH BRACKET 235 mm



HEIGHT WITHOUT BRACKET 235 mm

VALIDATION CONTROL # 9830RC9520 MODEL S05-030 LUMENS 3000 WATTAGE 30 VOLTAGE RANGE 9 ~ 32 VDC



RETAIL(CAD) \$389.25



WIDTH(INCHES) 7.1

WIDTH 180 mm DEPTH 190 mm

HEIGHT WITH BRACKET 175 mm



HEIGHT WITHOUT BRACKET 175 mm

VALIDATION CONTROL # 7310RC1900 MODEL W11-048 LUMENS 3450 WATTAGE 48 VOLTAGE RANGE 10 ~ 40 VDC



RETAIL(CAD) \$137.25



WIDTH(INCHES) 4.9

WIDTH 125 mm DEPTH 90 mm

HEIGHT WITH BRACKET 160 mm



HEIGHT WITHOUT BRACKET 115 mm

VALIDATION CONTROL # 8700RC2500 MODEL W12-048 LUMENS 3500 WATTAGE 48 VOLTAGE RANGE 10 ~ 30 VDC


RETAIL(CAD) \$78.75



WIDTH(INCHES) 4.3

WIDTH 110 mm DEPTH 72 mm

HEIGHT WITH BRACKET 140 mm





HEIGHT WITHOUT BRACKET 110 mm

VALIDATION CONTROL # 5400RC0300 MODEL W13-027 LUMENS 2150 WATTAGE 27 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$45.00

WIDTH(INCHES) 4.3



HEIGHT WITH BRACKET 135 mm

HEIGHT WITHOUT BRACKET 110 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 5400RC0300 MODEL W14-028 LUMENS 1400 WATTAGE 28 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$45.00

WIDTH(INCHES) 4.6



HEIGHT WITH BRACKET 140 mm

HEIGHT WITHOUT BRACKET 116 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 8210RC5800 MODEL W15-051 LUMENS 3700 WATTAGE 51 VOLTAGE RANGE 10 ~ 30 VDC

RETAIL(CAD) \$128.25

WIDTH(INCHES) 6.9



HEIGHT WITH BRACKET 230 mm

HEIGHT WITHOUT BRACKET 202 mm





hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 8910RC2310 MODEL W21-045 LUMENS 3060 WATTAGE 45 VOLTAGE RANGE 10 ~ 60 VDC

RETAIL(CAD) \$198.00

WIDTH(INCHES) 5.5



HEIGHT WITH BRACKET 172 mm

HEIGHT WITHOUT BRACKET 140 mm




hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 7420RC5610 MODEL W22-060 LUMENS 4080 WATTAGE 60 VOLTAGE RANGE 10 ~ 60 VDC

RETAIL(CAD) \$247.50

WIDTH(INCHES) 7.1



HEIGHT WITH BRACKET 240 mm

HEIGHT WITHOUT BRACKET 180 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 8520RC2710 MODEL W23-070 LUMENS 7000 WATTAGE 70 VOLTAGE RANGE 9 ~ 70 VDC



RETAIL(CAD) \$258.75

WIDTH(INCHES) 6.1

WIDTH 155 mm

DEPTH 102 mm

HEIGHT WITH BRACKET 182 mm



HEIGHT WITHOUT BRACKET 155 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 2720RC1810 MODEL W24-080 LUMENS 5400 WATTAGE 80 VOLTAGE RANGE 10 ~ 60 VDC



RETAIL(CAD) \$272.25

WIDTH(INCHES) 5.5

WIDTH 140 mm

DEPTH 96 mm

HEIGHT WITH BRACKET 185 mm



HEIGHT WITHOUT BRACKET 140 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 9400RC3300 MODEL W31-010 LUMENS 720 WATTAGE 10 VOLTAGE RANGE 10 ~ 60 VDC



RETAIL(CAD) \$49.50

WIDTH(INCHES) 2.2

WIDTH 56 mm

DEPTH 70 mm

HEIGHT WITH BRACKET 85 mm



HEIGHT WITHOUT BRACKET 56 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 7400RC1300 MODEL W32-010 LUMENS 750 WATTAGE 10 VOLTAGE RANGE 10 ~ 60 VDC


RETAIL(CAD) \$47.25

WIDTH(INCHES) 2

WIDTH 51 mm

DEPTH 61 mm

HEIGHT WITH BRACKET 80 mm



HEIGHT WITHOUT BRACKET 60 mm



hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL # 2400RC8200 MODEL W33-010 LUMENS 800 WATTAGE 10 VOLTAGE RANGE 10 ~ 30 VDC



RETAIL(CAD) \$42.75

WIDTH(INCHES) 2.6

WIDTH 66 mm

DEPTH 66 mm

HEIGHT WITH BRACKET 90 mm



HEIGHT WITHOUT BRACKET 66 mm




hell fire
BIG-KING INTERNATIONAL

VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
2700RC8400	W34-010	800	10	10 ~ 30 VDC	\$72.00



WIDTH(INCHES) 2




HEIGHT WITH BRACKET
77 mm

VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
9400RC3300	W35-015	1050	15	10 ~ 30 VDC	\$49.50



WIDTH(INCHES) 5.7




HEIGHT WITH BRACKET
60 mm

VALIDATION CONTROL #	MODEL	LUMENS	WATTAGE	VOLTAGE RANGE	RETAIL(CAD)
1500RC4300	W36-018	1150	18	10 ~ 30 VDC	\$51.75



WIDTH(INCHES) 6.3



HEIGHT WITH BRACKET
50 mm